FOR UNRESECTABLE THYROID CANCER

LENVATINIB

LENVIMA

4 mg and 10 mg Capsules
Protein Kinase Inhibitor

Drug	Dose mg	Dilution	Volume	Time	Route
Lenvatinib	24mg	--	--	Once daily	Oral

Recommended Dosing: 24mg orally once daily
Special Dosing: Severe Hepatic impairment – 14mg orally once daily
Severe Renal impairment – 14mg orally once daily

…until disease progression or unacceptable toxicity

Rx Lenvatinib (Lenvima) 10mg #60 caps
Lenvatinib (Lenvima) 4mg #30 caps
Take two lenvatinib 10mg + one lenvatinib 4mg orally once daily

Before prescribing Lenvima, see full prescribing information

Reference: Local Product Insert

LENVATINIB

LENVIMA

4 mg and 10 mg Capsules
Protein Kinase Inhibitor

Dose Modifications from Recommended Daily Dose (Thyroid Cancer) [a,b]

For persistent and intolerable Grade 2 or Grade 3 adverse reactions or Grade 4 laboratory abnormalities

Dose Level	Modification	Daily Dose
Recommended daily dose		24 mg orally once daily (Two 10 mg caps + one 4 mg cap)
First dose reduction	Interrupt until resolved to Grade 0-1 or baseline	20 mg orally once daily (Two 10 mg caps)
Second dose reduction	Interrupt until resolved to Grade 0-1 or baseline	14 mg orally once daily (One 10 mg cap + one 4 mg cap)
Third dose reduction	Interrupt until resolved to Grade 0-1 or baseline	10 mg orally once daily[b] (One 10 mg cap)

PH-LV-CS-17F-01

a. Dose reductions occur in succession based on the previous dose level (24, 20, or 14 mg/day)
b. Limited data are available for doses below 10 mg

Reference: Local Product Insert